

Item A: Trane Packaged Rooftop Units

TAG: RTU-1, 2, 3

TRANE Packaged Heat Pump; 5 Ton

62,000 Btu nominal cooling cap

58,500 Btu nominal heating cap

Convertible, 208-230V/3;45A Max

R410A Refrigerant

Economizer with comparative enthalpy

18kw electric heater w/thru the base electric

Non-Fused disconnect

Powered convenience outlet

Return and supply air smoke detectors

2" pleated filters MERV 8

Reliatel controls with Low ambient to 0-degree F.

Power Exhaust Fan

Outside Air Damper

Co2 Sensor Kit for Co2 Control Demand Ventilation

Item B: Trane Packaged Rooftop Units

TAG: RTU-4, 5, 6

TRANE Packaged Heat Pump; 10 Ton

126,000 Btu nominal cooling cap

111,000 Btu nominal heating cap (High)

69,000Btu heating cap (Low)

Convertible, 208-230V/3;60A Max

R410A Refrigerant

Economizer with comparative enthalpy

36kw electric heater w/thru the base electric

Non-Fused disconnect

Powered convenience outlet

Return and supply air smoke detectors

2" pleated filters MERV 8

Reliatel controls with Low ambient to 0-degree F.

Power Exhaust Fan

Outside Air Damper

Co2 Sensor Kit for Co2 Control Demand Ventilation

Item A: Trane Packaged Rooftop Units

TAG: RTU-7

TRANE Packaged Heat Pump; 15 Ton R410-A

177,000 Btu nominal cooling cap

Downflow; 208-230V/3; 90A Max.

10.6 EER

Comparative Enthalpy Economizer with barometric relief damper

54 kw Heater

Oversize Motor

Thru the base Electric

Powered convenience outlet

2" pleated filters MERV 8

Return and supply air smoke detectors

Reliabel controls with Low ambient to 0-degree F.

Power Exhaust Fan

Co2 Sensor Kit for Co2 Control Demand Ventilation

Item A: Trane Packaged Rooftop Units

TAG: RTU-8

TRANE Packaged Heat Pump; 12.5 Ton R410-A

148,000 Btu nominal cooling capacity

136,000 Btu nominal heating cap (High)

75,000Btu heating cap (Low)

Downflow; 208-230V/3; 80A Max.

Oversize Motor

Factory Installed Economizer with Comparative enthalpy and barometric relief

Thru the base Electric

Non-Fused disconnect

Powered convenience outlet

2" pleated filters MERV 8

Return and supply air smoke detectors

Reliabel controls with Low ambient to 0-degree F.

Power Exhaust Fan